## APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA OCT 2 1 1982

10.	Estimated time required to construct works 1 year  If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use3.years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	500 gpm, 16 hours per day, 300 days per year
	?. Annual 14.4 million gallons.
	s/ Desert Metals Associates s/ M. Douglas Miller By M. Douglas Miller
Con	paredds/blbl/bc Carson City, Nv., 89701
Prot	ested
	DENIE A
	DENIALOF STATE ENGINEER deny
follo	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the wing limitations and conditions:
Т	his application is herewith denied on the grounds that the applicant
h	as failed to submit the permit fees required under the provisions of
N	TRS 533.435.
-,	
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not 1	to exceedcubic feet per second
Wor	k must be prosecuted with reasonable diligence and be completed on or before
	of of completion of work shall be filed before
	lication of water to beneficial use shall be made on or before
	of of the application of water to beneficial use shall be filed on or before
	in support of proof of beneficial use shall be filed on or before
	pletion of work filed
Proof	State Engineer of Nevada, have hereunto set my hand and the seal of
	my office, this day of APRIL , tral map filed
• •	A.D. 19. 84
ceriii	ficate No